

GLOBAL MARKET LEADER

# SAN JUAN POOLS™

SanJuanPools.FUN  
800-535-SWIM

SINCE 1958



MADE IN THE USA



# WELCOME TO THE Wonderful World of Water



## San Juan Pools


**S**an Juan started in Seattle Washington in 1958 and was the first company to apply the then new material of fiberglass to pool construction. San Juan created and leads the one-piece fiberglass pool industry.

**W**arranty: 25 year limited warranty on the shell and 10 year limited warranty on the gel coat finish. At San Juan, you can be confident that we back our fiberglass pools as solidly as we build them. San Juan craftsmen assemble every fiberglass pool with meticulous attention to detail using the highest quality materials available.

**I**nnovation, ingenuity and creativity make San Juan pools the worldwide leader in swimming pool technology. We create custom fiberglass pool designs which offer you numerous advantages that concrete and vinyl liner pools cannot match. The satin-smooth finish and rounded corners of your San Juan pool will not chip, tear or harbor bacteria and algae.

**M**anufacturing fiberglass pools since 1958, San Juan has and always will set the standard in the swimming pool industry. Your San Juan fiberglass dream pool is just a phone call away!

**LOOK**  
For QR codes  
throughout the  
magazine for  
additional  
information/  
videos/photos





**SKIP BEDELL**

“The dream of having a pool is a lot easier and more affordable than you think with fiberglass pools.”



AS SEEN ON  
**FOX &**  
friends



**WATCH HERE**  
use the camera  
on your phone






“We have been taking care of our family  
of San Juan customers  
**BEFORE, DURING and AFTER**  
the sale for over 60 years!”

- Kirk Sullivan, President -



## San Juan Pools' Dealer Map



# ABOUT SAN JUAN POOLS

Since 1958, San Juan has grown from a small Washington based company to a well governed nationwide organization with numerous manufacturing plants throughout the United States. Along with each plant's network of locally owned independent authorized San Juan Dealers, they design and craft the most elegant fiberglass pools in America.

That first San Juan Fiberglass pools started a worldwide revolution in the manufacturing of fiberglass swimming pools and while many have tried to copy San Juan Fiberglass pools, none have succeeded. Now over 60 years later, quality San Juan Fiberglass pools are being installed in beautiful homes all over the world.



## GLOBAL MARKET LEADER

Since 1958 San Juan Pools has led the world in Fiberglass Pool technology

Fiberglass swimming pools were invented by San Juan Pools over 60 years ago and are available worldwide.

With over 600 independent dealers nationwide, and tens of thousands of pools across America and the world.

San Juan Pools is a family owned business - from our family to your family we deliver excellence.

## MASTER CRAFTSMEN

San Juan Pools continues to lead the world in Pool Construction Excellence. Each San Juan Fiberglass Pool is constructed by Master Craftsmen who draw on 60 years of innovation and construction expertise. Your San Juan Pool is hand built with care - to last a lifetime.

## MAXIMUM VALUE

Your pool becomes part of your home and a San Juan pool will look just as good in 30 years as the day it was first installed - our legendary quality ensures your home retains its beauty and value when it's time to sell.

For 60 years San Juan Pools has outlasted competitors and imitators, steadfastly producing the finest fiberglass swimming pool available today.



Lakeland, Florida



Eloy, Arizona



Wolcott, Indiana






# SAN JUAN BUILDS THE STRONGEST POOLS IN THE WORLD

**32-MIL GEL COAT**  
the thickest in the Industry  
- two 16-mil layers

**1.5 oz STRAND MAT**  
- three layers

**24 oz WOVEN ROVING**  
- two layers



**TIME LAPSE**  
Installing a SJP Pool



**TIME LAPSE**  
Building a SJP Pool

## COLD RESISTANT

Even under the extreme cold temperature by using Liquid Nitrogen (-321degrees fahrenheit) a San Juan Fiberglass pool doesn't fail. As you can see in the photos, vinyl liners and concrete crack and break, San Juan does not. This proves that San Juan Pools hold up in extreme cold temperatures.




## ACID RESISTANT


Muriatic Acid can't harm a San Juan Fiberglass Pool! Acid is a major component in your water chemistry and when not maintained properly it can hurt the finish. This test shows how swimming pool acid can destroy a concrete pool. Pouring Muriatic Acid directly on a concrete pool starts destroying it immediately, however, it has no effect on San Juan pools.



## BULLET RESISTANT

Bullet-Proof San Juan Fiberglass Pools! That's right bullet-proof! A 9mm, 380, 45 and 44 magnum did not penetrate the San Juan Pool. This demonstrates the incredible strength of our hand-laid fiberglass pools. Chopped fiberglass pools offer no resistance as seen in the bottom photo.





# SAN JUAN


## SALES REPRESENTATIVES AND THEIR TERRITORIES

Andy Winton..... 863-289-4386  
 Ben Adams..... 337-278-0818  
 Bob Fergione..... 704-363-0500  
 Gary Prickett..... 863-738-1282

John Paravola ..... 630-918-7665  
 Mark Peditto ..... 609-352-7069  
 Seth Mayer ..... 978-833-0539  
 Kevin Smith..... 863-701-6007

### HEAT RESISTANT

Using a high temperature acetylene torch (5,700 degrees fahrenheit) with its ability to cut through steel still can't hurt a San Juan Pool as you can see in these photos. This proves that San Juan Pools hold up in extreme hot temperatures.



### SAN JUAN HIGH-STRENGTH HAND-LAID FIBERGLASS POOLS DON'T REQUIRE LEDGES!

Cheap sprayed on fiberglass pools are built with ledges around them. They are marketed as "safety ledges". These ledges are added to compensate for the weakness of chopped fiberglass pools. Rather than offer safety, they can actually increase the risk of injury. They also make the bottom of the pool significantly narrower and reduce the play area.






## Rooftop Pools



- Biloxi & Grande Spa -

## Floating Pools



- Oceanside -



## Frozen Pools



- Monte Carlo -



## Animal Friendly Pools



- Lelani -



# A SAN JUAN FIBERGLASS POOL HAS SOME SIMILARITIES TO THE COMMON concrete pool, however fiberglass pools bring significant advantages...

**Our fiberglass pools are pre-formed and ready to install.** We have over 85 designs from small patio pools to some almost 50' long. Whereas a concrete pool takes a very long time to build - often as long as 6 months or longer. A San Juan fiberglass pool can be installed and ready to swim in as little as two week's time. In fact, the only way to tell the difference between a concrete pool and a San Juan Fiberglass pool once they are installed, is that the San Juan fiberglass pool will look just as beautiful as the day it was installed - and that's a big difference.

When people ask us about installing a San Juan fiberglass pool, we will sometimes compare the process to buying a new car - something we have all done with ease. Most new cars today are offered with a base price and then options and additions are added to get the final configuration for the model you want. A new San Juan fiberglass pool is offered in exactly the same manner. There will be a base price and at that point if you decide not to add anything you will have the full use of your new San Juan fiberglass pool for decades. It will be "swim ready." Many of us, however, will want to consider optional items such as heaters, additional decking, decorative lighting, water features and all the wonderful things that add to your project's final configuration.

As you move closer to finally deciding which San Juan fiberglass pool will meet your needs, there are some considerations that should enter into the decision making process.



## WHY DO YOU WANT A POOL?

This would seem to be self explanatory, but your decision to purchase a new San Juan Fiberglass pool might be based on the needs of your family. It might be for your healthy lifestyle, or it might be for entertaining. Each reason will dictate a different style swimming pool, and you should spend time with your sales professional discussing your needs and expectations to be certain your pool is designed to meet all your needs.

## WHAT WILL YOU USE THE POOL FOR?

If you want a pool for family sports, that will be a completely different pool from one used to swim laps. San Juan fiberglass pools have a pool design to fulfill every possible requirement.

Take a moment and examine all the possibilities. Often your new pool will need to fulfill multiple roles, from health considerations to family entertainment, and our pool/spa combinations, or sport pools might be exactly what meets your needs. With San Juan fiberglass pools the possibilities are endless.

## WHO WILL DO THE MAINTENANCE?

Swimming pool maintenance used to be a big deal, but with new technologies available today, pool maintenance for your new San Juan fiberglass pool is a snap. Fiberglass pools by their nature have significantly reduced maintenance needs. It is possible to build a new San Juan fiberglass pool that is virtually maintenance free. By adding automatic covers, chlorinators and automatic chemical feeders, along with the new robotic pool cleaners, it is possible to leave the pool maintenance to the machines.







# Pool Buying Comparative

## San Juan

### Fiberglass Pools Benefits

### vs. Gunite Difference

### vs. Vinyl liner Difference

### Features

Features	Fiberglass Pools Benefits	vs. Gunite Difference	vs. Vinyl liner Difference
Warranty	25 year non-prorated structural warranty	One year by contractor	Pro-rated only on seam separation
Installation Time	Within days	8 + weeks	5 weeks
Product Quality	Manufactured in a controlled environment	Quality dependent on job-site conditions	Quality dependent on work force
Design Options	100+ models to choose from	Unlimited	Limited to standard shapes
Durability	Flexes under pressure	Rigid, cracks with movement	Punctures and tears
Interior Finish	Smooth, skin friendly	Very rough	Slippery, rough seams
Swim outs, steps, benches, sundecks	One-piece molded in	Only at an additional cost	Drop in type or ladder
Water Chemistry	No harsh chemicals needed	Requires muriatic acid	No harsh chemicals needed

## Eco Friendly

Lower chemical use means less impact to the environment. Little or no chemical runoff to harm water table and up to 75% less packing material going to landfills.

Because of the smooth fiberglass finishes, algae and mildew will not adhere, this enables shorter pump run times, less than half of a gunite pool, resulting in much less electrical consumption and lower monthly bills. Self insulated fiberglass construction increases the pools ability to maintain water temperature. This also shortens heater run times reducing the energy needed to keep your pool warm.



### SAN JUAN PRODUCTS DISCLAIMER

San Juan Products Inc. manufactures fiberglass pools and distributes its pools through its independent dealers (the "Dealers") The relationship between San Juan products any other similar relationship. No Dealer has any authority of any kind or nature whatsoever to enter into any contract or agreement binding upon San Juan Products, or any or of any partner or affiliate of San Juan Products. San Juan Products has no responsibility or liability whatsoever for or with respect to any persons performing any services Dealer are and shall remain such, Dealer's employees, contractors and /or agents. San Juan Products has no right to control or direct any employees, contractors and /or of any Dealer, whether installation services, repair services or any other services, shall ever be construed to be employees, contractors or agents of San Juan Products, or All measurements are outside dimensions (OD) and are approximate. Dimensions may vary upon installation. Check local and state building codes for diving San Juan Products disclaims any liability for any act or omission on behalf of any Dealer. San Juan Products obligation concerning pools manufactured by it is limited to Images Disclaimer: San Juan Pools has made a concerted effort to provide images that accurately represent the actual color of your pool, however the Iridium process colors of the product. Please contact San Juan to receive an actual color sample to truly experience the beauty of Iridium!



# Fiberglass Pool Construction Comparative

## San Juan Fiberglass Pools Benefits

## Chopped / Composite Fiberglass Pools Difference

Features	San Juan Fiberglass Pools Benefits	Chopped / Composite Fiberglass Pools Difference
Gel Coat	32-Mil total	15-Mil typical
Vinyl Ester Resin	Used throughout entire pool	Typically used on first layer only
Hand Laid	Consistent level of thickness overlapping seams creates a super structure 15 layers thick	No consistency in thickness Sprayed on
Woven Roving	Provides significant strength to entire pool	<u>Not used</u> on chopped pools
Sprayed Chop	Not used on San Juan Pools	Lowest cost construction method
Resin	Higher glass to resin ratio	Lower glass to resin ratio
Coring & Fillers	Not used on San Juan Pools	Makes walls brittle Inhibit flexural strength
Interior ledges	Not needed on hand laid pools	Used to stiffen pool walls, makes area smaller

## San Juan high-strength hand-laid fiberglass pools don't require ledges!

Cheap sprayed on fiberglass pools are built with ledges around them. They are marketed as "safety ledges". These ledges are added to compensate for the weakness of chopped fiberglass pools. Rather than offer safety, they can actually increase the risk of injury. They also make the bottom of the pool significantly narrower and reduce the play area.



### All dealers/contractors are independent and not agents for manufacturers.

and each of the Dealers is an independent contractor relationship and shall never be deemed or construed to be an employment, a partnership, a joint venture, an agency or partner or affiliate of San Juan Products. Furthermore, no Dealer has any authority of any kind or nature whatsoever to create any obligation on the part of San Juan Products, on the part of any dealer including, without limitation. Any installation services or any repair services, and all such persons performing any such services on the part of any agents of any Dealer, with each Dealer having the sole right to control and direct its employees, contractors and /or agents. No persons performing any services on the part of any partner or affiliate of San Juan Products.

specifications. Diving requirements may vary by region. All quick entry devices shall be installed in accordance with the manufacturer's specifications

San Juan Products Limited Warranty to Original Retail Buyer. (Limited Warranty to original retail buyer).

contains natural variations in color, tone, and grain that are difficult to reproduce on brochures and monitors. We cannot guarantee that these images represent the actual





- South Beach -



- South Beach -







# San Juan

Quality Fiberglass Pools  
Since 1958

800-535-SWIM  
SanJuanPools.com



**Pacific**  
Width: ..... 16'1" / 4.9 M  
Length: ..... 39'10" / 12.14 M  
Depth: .. 3'3" - 7'11" / 1.12 M - 2.41 M  
Area: ..... 559 ft<sup>2</sup> / 52 M<sup>2</sup>  
Volume: ..... 20,500 G / 77,601 L



**Great Lakes Beach**  
Width: ..... 16'2" / 4.93 M  
Length: ..... 41'8" / 12.7 M  
Depth: ... 3'8" - 6'4" / .97 M - 1.93 M  
Area: ..... 585 ft<sup>2</sup> / 54 M<sup>2</sup>  
Volume: ..... 14,874 G / 55,000 L




**Great Lakes**  
Width: ..... 16'2" / 4.93 M  
Length: ..... 37' / 11.34 M  
Depth: ... 3'8" - 6'4" / .97 M - 1.93 M  
Area: ..... 540 ft<sup>2</sup> / 54 M<sup>2</sup>  
Volume: ..... 14,500 G / 55,000 L



**Phoenix**  
Width: ..... 15'11" / 4.85 M  
Length: ..... 39'7" / 12.07 M  
Depth: ... 3'3" - 5'1" / .91 M - 1.55 M  
Area: ..... 531 ft<sup>2</sup> / 49 M<sup>2</sup>  
Volume: ..... 14,400 G / 54,510 L



**Niagara**  
Width: ..... 15'11" / 4.85 M  
Length: ..... 33'10" / 10.31 M  
Depth: ... 3'8" - 7'10" / 1.12 M - 2.39 M  
Area: ..... 497 ft<sup>2</sup> / 46 M<sup>2</sup>  
Volume: ..... 17,500 G / 66,244 L



**Caesar's Palace Beach**  
Width: ..... 16' / 4.88 M  
Length: ..... 36'3" / 11.06 M  
Depth: .. 3'4" - 5'8" / 1.02 M - 1.73 M  
Area: ..... 527 ft<sup>2</sup> / 49 M<sup>2</sup>  
Volume: ..... 12,057 G / 45,640 L



**Dolphin**  
Width: ..... 14'1" / 4.29 M  
Length: ..... 33'1" / 10.08 M  
Depth: ... 3'9" - 5' / 1.14 M - 1.52 M  
Area: ..... 395 ft<sup>2</sup> / 37 M<sup>2</sup>  
Volume: ..... 11,500 G / 43,532 L



**Lake Michigan**  
Width: ..... 16' / 4.88 M  
Length: ..... 26' / 7.92 M  
Depth: ..... 5'11" / 1.93 M  
Area: ..... 375 ft<sup>2</sup> / 35 M<sup>2</sup>  
Volume: ..... 10,122 G / 38,316 L



**Savannah Deep**  
Width: ..... 14' / 4.27 M  
Length: ..... 32'6" / 9.91 M  
Depth: ... 3' - 8" / .91 M - 2.44 M  
Area: ..... 362 ft<sup>2</sup> / 34 M<sup>2</sup>  
Volume: ..... 14,000 G / 52,996 L



**Savannah**  
Width: ..... 14' / 4.27 M  
Length: ..... 32'6" / 9.91 M  
Depth: ... 3' - 5'6" / .91 M - 1.68 M  
Area: ..... 362 ft<sup>2</sup> / 34 M<sup>2</sup>  
Volume: ..... 11,500 G / 43,532 L



**iPool2**  
Width: ..... 14'1" / 4.29 M  
Length: ..... 27'10" / 8.48 M  
Depth: ..... 5' / 1.52 M  
Area: ..... 294 ft<sup>2</sup> / 27 M<sup>2</sup>  
Volume: ..... 9,000 G / 34,069 L



**Biloxi**  
Width: ..... 12' / 3.66 M  
Length: ..... 27' / 8.28 M  
Depth: ..... 4'3" / 1.3 M  
Area: ..... 289 ft<sup>2</sup> / 27 M<sup>2</sup>  
Volume: ..... 6,400 G / 24,227 L



**Marathon**  
Width: ..... 8'6" / 2.59 M  
Length: ..... 40' / 12.19 M  
Depth: ..... 4'9" / 1.45 M  
Area: ..... 282 ft<sup>2</sup> / 26 M<sup>2</sup>  
Volume: ..... 8,500 G / 32,176 L



**Waikiki II**  
Width: ..... 11'9" / 3.58 M  
Length: ..... 27'11" / 8.51 M  
Depth: .. 3'8" - 5'6" / 1.12 M - 1.68 M  
Area: ..... 277 ft<sup>2</sup> / 26 M<sup>2</sup>  
Volume: ..... 8,500 G / 32,176 L



**Waikiki I**  
Width: ..... 12'2" / 3.71 M  
Length: ..... 26'9" / 8.15 M  
Depth: .. 3'5" - 5'6" / 1.04 M - 1.68 M  
Area: ..... 266 ft<sup>2</sup> / 25 M<sup>2</sup>  
Volume: ..... 8,000 G / 30,283 L

**POOL**  
Details



**Horizon**  
Width: ..... 16' / 4.88 M  
Length: ..... 24' / 7.32 M  
Depth: ..... 4'9" / 1.45 M  
Area: ..... 200 ft<sup>2</sup> / 19 M<sup>2</sup>  
Volume: ..... 5,200 G / 19,684 L



**Malibu**  
Width: ..... 12'1" / 3.68 M  
Length: ..... 22'4" / 6.81 M  
Depth: ..... 3'9" / 1.14 M  
Area: ..... 184 ft<sup>2</sup> / 17 M<sup>2</sup>  
Volume: ..... 5,025 G / 19,022 L



**Sea Isle**  
Width: ..... 12' / 3.66 M  
Length: ..... 16'6" / 5.03 M  
Depth: ..... 5' / 1.52 M  
Area: ..... 171 ft<sup>2</sup> / 16 M<sup>2</sup>  
Volume: ..... 5,200 G / 19,684 L



**Scottsdale**  
Width: ..... 12'8" / 3.85 M  
Length: ..... 19'6" / 12.34 M  
Depth: ..... 4' / 1.22 M  
Area: ..... 288 ft<sup>2</sup> / 27 M<sup>2</sup>  
Volume: ..... 5,200 G / 19,684 L





**Luxor Deep**  
 Width: ..... 15'11" / 4.85 M  
 Length: ..... 44'7" / 13.59 M  
 Depth: .. 3'8"- 7'10" / 1.12 M -2.39 M  
 Area: ..... 658 ft<sup>2</sup> / 61.1 M<sup>2</sup>  
 Volume: ..... 22,000 G / 83,279 L



**Luxor**  
 Width: ..... 15'11" / 4.85 M  
 Length: ..... 44'7" / 13.59 M  
 Depth: .. 3'8"- 6'4" / 1.12 M -1.93 M  
 Area: ..... 658 ft<sup>2</sup> / 61.1 M<sup>2</sup>  
 Volume: ..... 19,000 G / 71,923 L



**Oceanside**  
 Width: ..... 16'2" / 4.93 M  
 Length: ..... 40'6" / 12.34 M  
 Depth: .... 3'8"- 6'4" / .97 M -1.93 M  
 Area: ..... 602 ft<sup>2</sup> / 56 M<sup>2</sup>  
 Volume: ..... 20,600 G / 77,979 L




**Dallas**  
 Width: ..... 16'1" / 4.9 M  
 Length: ..... 42'4" / 12.9 M  
 Depth: ... 3'3"- 7'11" / .99 M -2.41 M  
 Area: ..... 585 ft<sup>2</sup> / 54 M<sup>2</sup>  
 Volume: ..... 20,500 G / 77,601 L



**Grand Manhattan**  
 Width: ..... 15'10" / 4.83 M  
 Length: ..... 33'10" / 10.31 M  
 Depth: .. 3'11"- 5'1" / 1.17 M -1.55 M  
 Area: ..... 487 ft<sup>2</sup> / 45 M<sup>2</sup>  
 Volume: ..... 11,600 G / 43,911 L



**Monte Carlo**  
 Width: ..... 15'11" / 4.85 M  
 Length: ..... 31' 10" / 9.7 M  
 Depth: .. 3'8"- 5' 8" / 1.12 M -1.73 M  
 Area: ..... 467 ft<sup>2</sup> / 43 M<sup>2</sup>  
 Volume: ..... 12,000 G / 45,425 L



**Lake Superior**  
 Width: ..... 16'2" / 4.93 M  
 Length: ..... 31' / 9.6 M  
 Depth: .... 3'8"- 6'4" / .97 M -1.93 M  
 Area: ..... 475 ft<sup>2</sup> / 44 M<sup>2</sup>  
 Volume: ..... 12,000 G / 45,425 L



**Majestic**  
 Width: ..... 16'2" / 4.93 M  
 Length: ..... 34' 1" / 10.39 M  
 Depth: .. 3'6"- 5' 5" / 1.14 M -1.65 M  
 Area: ..... 431 ft<sup>2</sup> / 40 M<sup>2</sup>  
 Volume: ..... 13,500 G / 51,103 L



**Caesar's Palace**  
 Width: ..... 16' / 4.88 M  
 Length: ..... 33' 9" / 10.29 M  
 Depth: .. 3'4"- 5' 8" / 1.02 M -1.73 M  
 Area: ..... 417 ft<sup>2</sup> / 39 M<sup>2</sup>  
 Volume: ..... 11,400 G / 43,154 L



**Vegas**  
 Width: ..... 15' 11" / 4.85 M  
 Length: ..... 27' 11" / 8.5 M  
 Depth: .. 3'3"- 5' 1" / 1.07 M -1.55 M  
 Area: ..... 356 ft<sup>2</sup> / 33 M<sup>2</sup>  
 Volume: ..... 11,300 G / 42,775 L



**iPool**  
 Width: ..... 16' / 4.88 M  
 Length: ..... 36' 2" / 11.02 M  
 Depth: ..... 4' 8" / 1.42 M  
 Area: ..... 354 ft<sup>2</sup> / 33 M<sup>2</sup>  
 Volume: ..... 8,800 G / 33,312 L



**Stockholm**  
 Width: ..... 14' / 4.27 M  
 Length: ..... 27' 1" / 8.26 M  
 Depth: .. 3'9"- 5' 9" / 1.07 M -1.75 M  
 Area: ..... 345 ft<sup>2</sup> / 32 M<sup>2</sup>  
 Volume: ..... 10,000 G / 37,854 L



**Pompano Beach**  
 Width: ..... 13' 10" / 4.22 M  
 Length: ..... 29' 8" / 9.04 M  
 Depth: .. 3'7"- 5' 5" / 1.09 M -1.65 M  
 Area: ..... 302 ft<sup>2</sup> / 28 M<sup>2</sup>  
 Volume: ..... 9,500 G / 35,961 L



**Hawaiian**  
 Width: ..... 12' 10" / 3.91 M  
 Length: ..... 29' / 8.84 M  
 Depth: .... 3'6"- 6' / 1.07 M -1.83 M  
 Area: ..... 295 ft<sup>2</sup> / 27 M<sup>2</sup>  
 Volume: ..... 10,000 G / 37,854 L



**Orlando**  
 Width: ..... 12' / 3.66 M  
 Length: ..... 28' / 8.53 M  
 Depth: ..... 3' 10" / 1.17 M  
 Area: ..... 267 ft<sup>2</sup> / 25 M<sup>2</sup>  
 Volume: ..... 6,750 G / 25,551 L



**Wylela Beach**  
 Width: ..... 12' / 3.66 M  
 Length: ..... 30' / 9.05 M  
 Depth: .... 3'6"- 6' / 1.07 M -1.83 M  
 Area: ..... 360ft<sup>2</sup> / 34 M<sup>2</sup>  
 Volume: ..... 7,271 G / 32,176 L



**Wylela**  
 Width: ..... 12' / M  
 Length: ..... 25' / 7.62 M  
 Depth: .... 3'6"- 6' / 1.07 M -1.83 M  
 Area: ..... 254 ft<sup>2</sup> / 24 M<sup>2</sup>  
 Volume: ..... 8,500 G / 32,176 L



**Broadway**  
 Width: ..... 11'5" / 3.48 M  
 Length: ..... 20'9" / 6.32 M  
 Depth: ..... 4' / 1.22 M  
 Area: ..... 240ft<sup>2</sup> / 22 M<sup>2</sup>  
 Volume: ..... 4500G / 17034 L



**Gulf Breeze**  
 Width: ..... 12' / 3.66 M  
 Length: ..... 20' / 6.1 M  
 Depth: ..... 3' 10" / 1.17 M  
 Area: ..... 212 ft<sup>2</sup> / 20 M<sup>2</sup>  
 Volume: ..... 5,600 G / 21,198 L



**Cyberlane**  
 Width: ..... 8' 6" / 2.59 M  
 Length: ..... 23' / 7.01 M  
 Depth: ..... 4' 9" / 1.45 M  
 Area: ..... 159 ft<sup>2</sup> / 15 M<sup>2</sup>  
 Volume: ..... 4,240 G / 16,050 L



**Palm Beach**  
 Width: ..... 10' 5" / 3.18 M  
 Length: ..... 21' 10" / 6.65 M  
 Depth: .. 3'8"- 4' 11" / 1.12 M -1.5 M  
 Area: ..... 157 ft<sup>2</sup> / 15 M<sup>2</sup>  
 Volume: ..... 4,800 G / 18,170 L



**Ft. Myers**  
 Width: ..... 8' 2" / 2.49 M  
 Length: ..... 16' 2" / 4.93 M  
 Depth: ..... 4' / 1.22 M  
 Area: ..... 95 ft<sup>2</sup> / 9 M<sup>2</sup>  
 Volume: ..... 2,650 G / 10,031 L




**Canyon Lake**  
 Width: ..... 10' / 3.05 M  
 Length: ..... 19' / 5.97 M  
 Depth: ..... 3' 6" / 1.07 M  
 Area: ..... 144ft<sup>2</sup> / 13 M<sup>2</sup>  
 Volume: ..... 3500 G / 13,249 L



**Sedona**  
 Width: ..... 8' / 2.44 M  
 Length: ..... 14' / 4.27 M  
 Depth: ..... 3' 6" / 1.08 M  
 Area: ..... 98 ft<sup>2</sup> / 9 M<sup>2</sup>  
 Volume: ..... 2,750 G / 10,135 L




### Daytona Beach




Width: ..... 16' / 4.88 M  
 Length: ..... 45' / 13.72 M  
 Depth: ..... 3'6"- 8' / 1.07 M - 2.44 M  
 Area: ..... 556 ft<sup>2</sup> / 52 M<sup>2</sup>  
 Volume: ..... 17,944 G / 75,708 L

### South Beach




Width: ..... 16' / 4.88 M  
 Length: ..... 45' / 13.72 M  
 Depth: ..... 3'6"- 6'4" / 1.07 M - 1.93 M  
 Area: ..... 556 ft<sup>2</sup> / 52 M<sup>2</sup>  
 Volume: ..... 15,966 G / 68,137 L

### Taj Mahal Deep



Width: ..... 16' / 4.88 M  
 Length: ..... 45' / 13.72 M  
 Depth: ..... 3'6"- 8' / 1.07 M - 2.44 M  
 Area: ..... 560 ft<sup>2</sup> / 52 M<sup>2</sup>  
 Volume: ..... 20,000 G / 75,708 L

### Taj Mahal



Width: ..... 16' / 4.88 M  
 Length: ..... 45' / 13.72 M  
 Depth: ..... 3'6"- 6'4" / 1.07 M - 1.93 M  
 Area: ..... 560 ft<sup>2</sup> / 52 M<sup>2</sup>  
 Volume: ..... 18,000 G / 68,137 L

### Oasis




Width: ..... 16' / 4.88 M  
 Length: ..... 39'8" / 12.09 M  
 Depth: ..... 3'6"- 7'11" / 1.12 M - 2.41 M  
 Area: ..... 496 ft<sup>2</sup> / 46 M<sup>2</sup>  
 Volume: ..... 17,950 G / 67,948 L

### Atlantic



Width: ..... 15' 7" / 4.75 M  
 Length: ..... 33' 1" / 10.08 M  
 Depth: ..... 3' 8"- 5' 9" / 1.12 M - 1.75 M  
 Area: ..... 375 ft<sup>2</sup> / 35 M<sup>2</sup>  
 Volume: ..... 10,400 G / 39,368 L

### Costa Azul



Width: ..... 15' 2" / 4.60 M  
 Length: ..... 32' 7" / 12.34 M  
 Depth: ..... 5' 7" / .97 M - 1.70 M  
 Area: ..... 402 ft<sup>2</sup> / 38 M<sup>2</sup>  
 Volume: ..... 8,000 G / 39,000 L

### Sandcastle



Width: ..... 13' 11" / 4.85 M  
 Length: ..... 27' 10" / 8.5 M  
 Depth: ..... 3' 7"- 5' 5" / 1.09 M - 1.65 M  
 Area: ..... 356 ft<sup>2</sup> / 33 M<sup>2</sup>  
 Volume: ..... 8,300 G / 31,418 L

### Manatee Deep



Width: ..... 13' 9" / 4.19 M  
 Length: ..... 32' 10" / 10.01 M  
 Depth: ..... 3' 6"- 8' / 1.07 M - 2.44 M  
 Area: ..... 354 ft<sup>2</sup> / 33 M<sup>2</sup>  
 Volume: ..... 13,700 G / 51,860 L

### Manatee



Width: ..... 13' 9" / 4.19 M  
 Length: ..... 32' 10" / 10.01 M  
 Depth: ..... 3' 6"- 5' 10" / 1.07 M - 1.78 M  
 Area: ..... 354 ft<sup>2</sup> / 33 M<sup>2</sup>  
 Volume: ..... 10,300 G / 38,990 L

### Seaside



Width: ..... 11' 11" / 3.63 M  
 Length: ..... 27' 10" / 8.48 M  
 Depth: ..... 3' 6"- 6' / 1.07 M - 1.83 M  
 Area: ..... 242 ft<sup>2</sup> / 22 M<sup>2</sup>  
 Volume: ..... 8,000 G / 30,283 L

### Catalina



Width: ..... 12' / 3.66 M  
 Length: ..... 25' 10" / 7.87 M  
 Depth: ..... 3' 7"- 5' 7" / 1.09 M - 1.7 M  
 Area: ..... 218 ft<sup>2</sup> / 20 M<sup>2</sup>  
 Volume: ..... 6,800 G / 25,741 L

### Lelani



Width: ..... 12' 3" / 3.73 M  
 Length: ..... 23' 9" / 7.24 M  
 Depth: ..... 3' 9"- 5' 11" / 1.12 M - 1.8 M  
 Area: ..... 217 ft<sup>2</sup> / 20 M<sup>2</sup>  
 Volume: ..... 6,000 G / 22,712 L

### Mandalay Bay



Width: ..... 11' 8" / 3.56 M  
 Length: ..... 25' 1" / 7.65 M  
 Depth: ..... 3' 1"- 5' 7" / .94 M - 1.7 M  
 Area: ..... 198 ft<sup>2</sup> / 18 M<sup>2</sup>  
 Volume: ..... 6,600 G / 24,984 L

### Cocoa Beach



Width: ..... 11' 9" / 3.58 M  
 Length: ..... 23' 9" / 7.24 M  
 Depth: ..... 3' 6"- 5' 7" / 1.07 M - 1.7 M  
 Area: ..... 190 ft<sup>2</sup> / 18 M<sup>2</sup>  
 Volume: ..... 6,600 G / 24,984 L

### Sundial



Width: ..... 11' 9" / 3.58 M  
 Length: ..... 23' 9" / 7.24 M  
 Depth: ..... 3' 6"- 5' 7" / 1.07 M - 1.7 M  
 Area: ..... 190 ft<sup>2</sup> / 18 M<sup>2</sup>  
 Volume: ..... 6,400 G / 17,413 L

### Arialla



Width: ..... 12' / 3.66 M  
 Length: ..... 20' 9" / 6.32 M  
 Depth: ..... 3' 8"- 4' 11" / 1.12 M - 1.5 M  
 Area: ..... 179 ft<sup>2</sup> / 17 M<sup>2</sup>  
 Volume: ..... 4,000 G / 15,142 L

### Crystal Beach



Width: ..... 13' 8" / 4.17 M  
 Length: ..... 17' 4" / 5.28 M  
 Depth: ..... 3' 7"- 5' 2" / 1.09 M - 1.57 M  
 Area: ..... 147 ft<sup>2</sup> / 14 M<sup>2</sup>  
 Volume: ..... 4,000 G / 15,142 L

### Crystal Cove




Width: ..... 11' 11" / 3.63 M  
 Length: ..... 18' 11" / 5.77 M  
 Depth: ..... 3' 7"- 5' / 1.09 M - 1.52 M  
 Area: ..... 141 ft<sup>2</sup> / 13 M<sup>2</sup>  
 Volume: ..... 3,300 G / 12,492 L

### Crystal Springs



Width: ..... 11' 11" / 3.63 M  
 Length: ..... 17' 2" / 5.23 M  
 Depth: ..... 4' 2"- 5' / 1.27 M - 1.52 M  
 Area: ..... 119 ft<sup>2</sup> / 11 M<sup>2</sup>  
 Volume: ..... 3,900 G / 14,763 L

### Baja Beach



Width: ..... 12' 5" / 3.78 M  
 Length: ..... 25' 8" / 7.82 M  
 Depth: ..... 2' 8" / 0.76 M  
 Area: ..... 272 ft<sup>2</sup> / 7 M<sup>2</sup>  
 Volume: ..... 2544 G / 8,225 L

### Tanning Ledge - Freeform



Width: ..... 11' 11" / 3.63 M  
 Length: ..... 17' 2" / 5.23 M  
 Depth: ..... 1' 6" / 0.46 M  
 Area: ..... 119 ft<sup>2</sup> / 11 M<sup>2</sup>  
 Volume: ..... 724 G / 2,740 L

### Tanning Ledge - Round



Width: ..... 11' 7" / 3.6 M  
 Length: ..... 7' 7" / 2.35 M  
 Depth: ..... 1' / 0.16 M  
 Area: ..... 65 ft<sup>2</sup> / 7 M<sup>2</sup>  
 Volume: ..... 150 G / 567 L

### Scottsdale Tanning Ledge



Width: ..... 8' 3" / 2.5 M  
 Length: ..... 12' / 3.64 M  
 Depth: ..... 12" / 0.16 M  
 Area: ..... 80 ft<sup>2</sup> / 8 M<sup>2</sup>  
 Volume: ..... 100 G / 378 L

### Fun Deck



Width: ..... 16' / 4.88 M  
 Length: ..... 14' / 4.27 M  
 Depth: ..... 3' 3" / 0.99 M  
 Area: ..... 224 ft<sup>2</sup> / 21 M<sup>2</sup>  
 Volume: ..... 2100 G / 7,949 L





Width: ..... 15' 8" / 4.78 M  
 Length: ..... 39' 8" / 12.09 M  
 Depth: .. 3' 6" - 5' 4" / 1.12 M - 1.63 M  
 Area: ..... 466 ft<sup>2</sup> / 43 M<sup>2</sup>  
 Volume: ..... 14,050 G / 53,185 L



Width: ..... 16' / 4.88 M  
 Length: ..... 37' 4" / 11.38 M  
 Depth: .. 3' 6" - 6' 4" / 1.14 M - 1.93 M  
 Area: ..... 455 ft<sup>2</sup> / 42 M<sup>2</sup>  
 Volume: ..... 13,700G / 51,860 L



Width: ..... 16' / 4.88 M  
 Length: ..... 37' 4" / 11.38 M  
 Depth: .. 3' 6" - 6' 4" / 1.14 M - 1.93 M  
 Area: ..... 455 ft<sup>2</sup> / 42 M<sup>2</sup>  
 Volume: ..... 11,300G / 42,775 L



Width: ..... 16' 2" / 4.93 M  
 Length: ..... 39' 1" / 11.91 M  
 Depth: ..... 3' - 6' / .91 M - 1.83 M  
 Area: ..... 448 ft<sup>2</sup> / 42 M<sup>2</sup>  
 Volume: ..... 14,000 G / 52,996 L



Width: ..... 15' 7" / 4.75 M  
 Length: ..... 33' 1" / 10.08 M  
 Depth: .... 3' 8" - 8' / 1.12 M - 2.44 M  
 Area: ..... 375 ft<sup>2</sup> / 35 M<sup>2</sup>  
 Volume: ..... 11,300 G / 42,775 L



Width: ..... 15' 10" / 4.83 M  
 Length: ..... 28' 4" / 8.64 M  
 Depth: .... 3' 6" - 5' 7" / .91 M - 1.7 M  
 Area: ..... 324 ft<sup>2</sup> / 30 M<sup>2</sup>  
 Volume: ..... 7,393 G / 27,985 L



Width: ..... 15' 10" / 4.83 M  
 Length: ..... 28' 4" / 8.64 M  
 Depth: .... 3' 6" - 5' 7" / .91 M - 1.7 M  
 Area: ..... 324 ft<sup>2</sup> / 30 M<sup>2</sup>  
 Volume: ..... 10,000 G / 37,854 L



Width: ..... 14' 10" / 4.52 M  
 Length: ..... 28' / 8.53 M  
 Depth: .. 3' 6" - 5' 4" / 1.04 M - 1.63 M  
 Area: ..... 311 ft<sup>2</sup> / 29 M<sup>2</sup>  
 Volume: ..... 9,500 G / 35,961 L



Width: ..... 14' / 4.27 M  
 Length: ..... 30' / 9.14 M  
 Depth: .... 3' 1" - 6' / .94 M - 1.83 M  
 Area: ..... 290 ft<sup>2</sup> / 27 M<sup>2</sup>  
 Volume: ..... 6,800 G / 25,741 L



Width: ..... 14' / 4.27 M  
 Length: ..... 30' / 9.14 M  
 Depth: .... 3' 1" - 6' / .94 M - 1.83 M  
 Area: ..... 290 ft<sup>2</sup> / 27 M<sup>2</sup>  
 Volume: ..... 6,800 G / 25,741 L



Width: ..... 13' 5" / 4.11 M  
 Length: ..... 20' 1" / 6.13 M  
 Depth: ..... 3' 4" / 1.03 M  
 Area: ..... 151 ft<sup>2</sup> / 14 M<sup>2</sup>  
 Volume: ..... 3,550 G / 13,438 L



Width: ..... 11' 6" / 3.51 M  
 Length: ..... 18' 2" / 5.54 M  
 Depth: ..... 3' 9" / 1.14 M  
 Area: ..... 120 ft<sup>2</sup> / 11 M<sup>2</sup>  
 Volume: ..... 2,050 G / 7,760 L



Width: ..... 10' 10" / 3.3 M  
 Length: ..... 15' 6" / 4.72 M  
 Depth: ..... 3' 9" / 1.14 M  
 Area: ..... 99 ft<sup>2</sup> / 9 M<sup>2</sup>  
 Volume: ..... 2,100 G / 7,949 L



Width: ..... 8' / 2.44 M  
 Length: ..... 12' / 3.66 M  
 Depth: ..... 3' 2" / 0.97 M  
 Area: ..... 85 ft<sup>2</sup> / 8 M<sup>2</sup>  
 Volume: ..... 950 G / 3,596 L



Width: ..... 8' 4" / 2.54 M  
 Length: ..... 10' 10" / 3.3 M  
 Depth: ..... 3' 2" / 0.97 M  
 Area: ..... 82 ft<sup>2</sup> / 8 M<sup>2</sup>  
 Volume: ..... 393 G / 1488 L



Width: ..... 8' 10" / 2.69 M  
 Length: ..... 8' 10" / 2.69 M  
 Depth: ..... 3' 7" / 1.09 M  
 Area: ..... 54 ft<sup>2</sup> / 5 M<sup>2</sup>  
 Volume: ..... 755 G / 2,858 L



Width: ..... 9' / 2.74 M  
 Length: ..... 9' / 2.74 M  
 Depth: ..... 4' / .64 M  
 Area: ..... 64 ft<sup>2</sup> / 5 M<sup>2</sup>  
 Volume: ..... 700 G / 2,650 L



Width: ..... 8' / 2.44 M  
 Length: ..... 8' / 2.44 M  
 Depth: ..... 3' 2" / 0.97 M  
 Area: ..... 44 ft<sup>2</sup> / 4 M<sup>2</sup>  
 Volume: ..... 550 G / 2,082 L



Width: ..... 7' 1" / 1.8 M  
 Length: ..... 6' 11" / 1.8 M  
 Depth: ..... 3' 3" / 0.99 M  
 Area: ..... 45 ft<sup>2</sup> / 4 M<sup>2</sup>  
 Volume: ..... 550 G / 2,082 L




Width: ..... 7' 1" / 1.8 M  
 Length: ..... 6' 11" / 1.8 M  
 Depth: ..... 3' 3" / 0.99 M  
 Area: ..... 45 ft<sup>2</sup> / 4 M<sup>2</sup>  
 Volume: ..... 550 G / 2,082 L



Width: ..... 7' / 2.13 M  
 Length: ..... 10' 3" / 3.12 M  
 Depth: ..... 3' 2" / 0.97 M  
 Area: ..... 43 ft<sup>2</sup> / 4 M<sup>2</sup>  
 Volume: ..... 700 G / 2,650 L



Width: ..... 8' / 2.44 M  
 Length: ..... 8' / 2.44 M  
 Depth: ..... 2' 11" / 0.89 M  
 Area: ..... 42 ft<sup>2</sup> / 4 M<sup>2</sup>  
 Volume: ..... 450 G / 1,703 L



Width: ..... 8' / 2.44 M  
 Length: ..... 8' / 2.44 M  
 Depth: ..... 3' / 0.91 M  
 Area: ..... 39 ft<sup>2</sup> / 4 M<sup>2</sup>  
 Volume: ..... 500 G / 1,893 L



Width: ..... 6' 10" / 2.08 M  
 Length: ..... 6' 10" / 2.08 M  
 Depth: ..... 3' / 0.91 M  
 Area: ..... 30 ft<sup>2</sup> / 3 M<sup>2</sup>  
 Volume: ..... 350G / 1,325 L



Width: ..... 6' 1" / 1.85 M  
 Length: ..... 6' 1" / 1.85 M  
 Depth: ..... 2' 11" / 0.89 M  
 Area: ..... 26 ft<sup>2</sup> / 2 M<sup>2</sup>  
 Volume: ..... 300 G / 1,136 L

VR: 04022019





## New Swimming Pool Checklist

Here are some essential considerations for you to discuss as you near agreement on your new San Juan Pool.

Why do you want a pool? Sometimes we want a pool just for family fun, but sometimes a pool will be for grandchildren or relaxation or perhaps therapeutic use. Whatever your reasoning, be certain you have your pool built for you and your needs. Many people will have many opinions about your new pool, but the most important consideration should be what will be your needs - what do you want? Once the pool is constructed, you can be certain everyone will agree it is the perfect swimming pool.

Deep end, or shallow deep end? This question has created endless debates over the kitchen table. As you discuss the final depth of your "deep end" remember these things. Children don't care how deep their pool will be as long as they can play. If you have a serious diver in your home then perhaps a diving pool will be important, but for most people a moderate 5 ½ to 6' depth will be plenty and will let the adults use the entire pool. The older we are, the less we want to tread water so design your pool for how you want to use your pool. Your children will love whatever pool you choose the first time they jump in.





- Pleasure Island -



- Lelani -



- Monte Carlo and Sarasota Spa -





## Family Memories

Creating lifetime memories with your family and friends is always easy in your backyard while swimming in a San Juan Fiberglass Pool.





## Vanishing Edge Pool



## Pool / Spa Combo





# Staycation

*Staycation: (a portmanteau of "stay" and "vacation") is a period in which an individual or family stays home and participates in leisure activities.*



Enjoy the **Safety** and **Protection** of your own **Backyard** while spending time with your entire family **All Summer Long!**